DATA & SECURITY CABINETS

ACCESSORIES	94
SHELVES & BRACKETS	95
DATA CABINETS	95
WALL MOUNTED	95
FLOOR STANDING	97
HOME HUBS	98
SECURITY CABINET	100



Quality cabinets for securely storing your network equipment.

ACCESSORIES

120x120x38mm 240V Fan

DATATEK Quality Data Products

24DFAN 9340591017935

- Voltage: 220-240V • Rated Current: 0.08 Amps
- Input Power: 15 Watts • Noise Level: 47db(A)
- Dimensions: 120(W) x 120(H) x 38(D) mm
- Includes: 4x Mounting Screws

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 20

8-Way Horizontal Power Rail

DATATEK Quality Data Products

24EH8PDU 9340591012206

- 8-Way Horizontal Power Rail with 2m Cable
- 1RU 19" Rack Mountable • Master On/Off Switch
- 10 Amp, 220-250V, 2500W Max.
- Dimensions: 482(W) x 45(H) x 45(D) mm

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 25

24-Port CAT6 Rack Mountable Patch Panel



DATATEK Quality Data Products

23MDPP246 9340591012350

- 19" Rack Mountable • RCM Compliant
- Colour Coded for T568A & T568B
- Dimensions: 483(W) x 30(D) x 43(H) mm
- Includes: Cable Tidy, 4x Mounting Bolts & 4x Cable Ties

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 10

1RU Rack Mount Cable Management

DATATEK Quality Data Products

24D1RUCMHR 9340591006403

- 5-Ring Cable Management System
- 1RU 19" Rack Mountable
- Lightweight, Easy to Install & Remove
- Powder Coated Metal

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 50

1RU Cable Pass Through with Brush Strip

DATATEK Quality Data Products

24D1RUBST 9340591006410

- Cable Pass Through with Brush Strip
- 1RU 19" Rack Mountable
- Lightweight, Easy to Install & Remove
- Powder Coated Metal with Nylon Brush

PACKAGING	White Box with Label
QUANTITIES	Carton: 100

Metal Rack Blanking Plate

DATATEK Quality Data Products

24D1RUBL (1RU) 9340591006427
24D2RUBL (2RU) 9340591006434
24D3RUBL (3RU) 9340591006441
24D4RUBL (4RU) 9340591006458

- Fills Gaps in 19" Data Cabinets
- Available Sizes: 1RU, 2RU, 3RU & 4RU

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 100

12 Pack of Cage Nuts for Data Cabinets

DATATEK Quality Data Products

24DCNUT12 9340591006533

- Pack of 12 Cage Nuts • Available in Black Only
- Includes Nuts, Screw Holders & Screws
- Suitable for Patch Panels, Switches, etc.

PACKAGING	Poly Bag with Label
QUANTITIES	Sold Individually

SHELVES & BRACKETS

1U Mini 300mm Deep Cantilever Cabinet Shelf

24DMIUCS30 9340591008872

- Suits 300mm Deep Racks
- Suitable for Mini 10" Data Cabinets
- Load Capacity: 10KG
- Dimensions: 43(H) x 150(D) x 252(W) mm
- Includes: 4x Cage Nuts

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 5

1U Cantilever Cabinet Shelf



24D1UCS30 (300mm) 9340591006465
24D1UCS45 (450mm) 9340591006472

- Heavy-Duty, Ventilated Shelf
- 1RU Mounting Height for 19" Data Cabinets
- Load Capacity: 20kg • Includes: 4x Cage Nuts
- Dimensions: 43(H) x 482.6(W) mm
- Available Depths: 300mm & 450mm

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 5

2U Cantilever Cabinet Shelf

24D2UCS30 (300mm) 9340591013760
24D2UCS45 (450mm) 9340591016730

- Heavy-Duty Ventilated Shelf
- 2RU Mounting Height for 19" Data Cabinets
- Load Capacity: 20kg • Includes: 4x Cage Nuts
- Dimensions: 88(H) x 482.6(W) mm
- Available Depths: 300mm & 450mm

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 5

Fixed Cabinet Shelf

24DFS270 (270mm) 9340591013784
24DFS35 (350mm) 9340591006502
24DFS55 (550mm) 9340591006519

- Suitable for 19" Data Cabinets
- Load Capacity: 90kg • Includes: 4x Cage Nuts
- Dimensions: 48(H) x 470(W) mm
- Available Depths: 270mm, 350mm & 550mm

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 5

Sliding Keyboard Tray

24D1USKBT 9340591006526

- Suitable for 19" Data Cabinets
- Smooth, Slide-Out Mechanism
- Heavy-Duty Ventilated Shelf
- Load Capacity: 9kg
- Dimensions: 300(W) x 450(D) mm
- Includes: 4x Cage Nuts

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 5

Open Hinged Wall Frame Bracket

24C2RHWF (2RU) 9340591006373
24C4RHWF (4RU) 9340591006380
24C6RHWF (6RU) 9340591006397

- 250-360mm Sliding Depth
- Available Sizes: 2RU, 4RU & 6RU
- Complete with Cage Nuts

PACKAGING	Brown Box with Label
QUANTITIES	Carton: 5 (24C2RHWF) / 2 (24C4RHWF & 24C6RHWF)

CABINETS - WALL MOUNTED

10" Mini Wall Mounted Data Cabinet

24F6RWM33F (6RU) 9340591006540
24F9RWM33F (9RU) 9340591006557

- Lockable Front Door, Reversible for Left or Right Hand Operation
- Upper & Lower Cable Entry Knockouts
- Vented Cabinet Design with Single Cooling Fan
- Adjustable Mounting Rails • Earth Linkages Provided
- Supports 24DMIUCS30 Cantilever Shelf (Sold Separately)

Included Accessories

- 2x Keys, Cage Nuts & Screws

CABINET TYPE	Mini Wall Mounted
RACK UNITS	6RU (24F6RWM33F) / 9RU (24F9RWM33F)
MATERIALS	Cold Rolled Steel
DIMENSIONS (W) x (D)	350(W) x 300(D) mm
DIMENSIONS (H)	350mm (24F6RWM33F) / 490mm (24F6RWM33F)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

CABINETS - WALL MOUNTED (continued)

Wall Mounted Data Cabinet - 300mm Deep Standard Series

24B4RW63 (4RU) 9340591006205
24B6RW63 (6RU) 9340591006212
24B9RW63 (9RU) 9340591006229

- 300mm Deep Cabinet Design
- Lockable Front Door, Reversible for Left or Right Hand Operation
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- Top and Bottom Ventilation for Airflow
- Earth Linkages Provided
- IP20 Protection Rating
- Supplied Fully Assembled

Included Accessories

- 2x Keys, Mounting Bolts, Cage Nuts & Screws

CABINET TYPE	Wall Mounted - Standard
RACK UNITS	4RU (24B4RW63) / 6RU (24B6RW63) / 9RU (24B9RW63)
WEIGHT CAPACITY	40kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 300(D) mm
DIMENSIONS (H)	280mm (24B4RW63) / 370mm (24B6RW63) / 500mm (24B9RW63)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Wall Mounted Data Cabinet - 450mm Deep Standard Series

24B6RW64 (6RU) 9340591006243
24B9RW64 (9RU) 9340591006267
24B12RW64 (12RU) 9340591006281

- 450mm Deep Cabinet Design
- Lockable Front Door, Reversible for Left or Right Hand Operation
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- Top and Bottom Ventilation for Airflow
- Earth Linkages Provided
- IP20 Protection Rating
- Supplied Fully Assembled

Included Accessories

- 2x Keys, Mounting Bolts, Cage Nuts & Screws

CABINET TYPE	Wall Mounted - Standard
RACK UNITS	6RU (24B6RW64) / 9RU (24B9RW64) / 12RU (24B12RW64)
WEIGHT CAPACITY	40kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 450(D) mm
DIMENSIONS (H)	370mm (24B6RW64) / 500mm (24B9RW64) / 635mm (24B12RW64)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Wall Mounted Data Cabinet - FPS Series

24B6RW64FPS (6RU) 450(D)mm 9340591006236
24B9RW64FPS (9RU) 450(D)mm 9340591006250
24B12RW64FPS (12RU) 450(D)mm 9340591006274
24B15RW64FPS (15RU) 450(D)mm 9340591006298
24B18RW64FPS (18RU) 450(D)mm 9340591006304
24B18RW66FPS (18RU) 600(D)mm 9340591006311

- Cabinet Depth: 450mm (600mm for 24B18RW66FPS Only)
- Lockable Front Door, Reversible for Left or Right Hand Operation
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- IP20 Protection Rating
- Supplied Fully Assembled
- Earth Linkages Provided

Included Accessories

- Cooling Fans, 6-Outlet Power Rail, Fixed Shelf, 2x Keys, Mounting Bolts, Cage Nuts & Screws

CABINET TYPE	Wall Mounted - FPS
RACK UNITS	6RU (24B6RW64FPS) / 9RU (24B9RW64FPS) / 12RU (24B12RW64FPS) / 15RU (24B15RW64FPS) / 18RU (24B18RW64FPS & 24B18RW66FPS)
WEIGHT CAPACITY	40kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 450 (or 600 24B18RW66FPS) (D) mm
DIMENSIONS (H)	370mm (24B6RW64FPS) / 500mm (24B9RW64FPS) / 635mm (24B12RW64FPS) / 770mm (24B15RW64FPS) / 905mm (24B18RW64FPS & 24B18RW66FPS)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

CABINETS - WALL MOUNTED (continued)

Swing Frame Wall Mounted Data Cabinet - SFPS Series

24B4RWS66FPS (4RU)	9340591006328
24B6RWS66FPS (6RU)	9340591006335
24B9RWS66FPS (9RU)	9340591006342
24B12RWS66FPS (12RU)	9340591006359
24B18RWS66FPS (18RU)	9340591006366

- Swings Out From Wall For Extra Access • 600mm Deep Cabinet Design
- Lockable Front Door, Back and Side Panels
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- Top and Bottom Ventilation for Airflow • Earth Linkages Provided
- IP20 Protection Rating • Supplied Fully Assembled

Included Accessories

- Cooling Fans, 6-Outlet Power Rail, Fixed Shelf, 2x Keys, Mounting Bolts, Cage Nuts & Screws

CABINET TYPE	Wall Mounted - SFPS
RACK UNITS	4RU (24B4RWS66FPS) / 6RU (24B6RWS66FPS) / 9RU (24B9RWS66FPS) / 12RU (24B12RWS66FPS) / 18RU (24B18RWS66FPS)
WEIGHT CAPACITY	60kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 600(D) mm
DIMENSIONS (H)	280mm (24B4RWS66FPS) / 370mm (24B6RWS66FPS) / 500mm (24B9RWS66FPS) / 635mm (24B12RWS66FPS) / 905mm (24B18RWS66FPS)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

CABINETS - FLOOR STANDING

Floor Standing Data Cabinet - 600mm Deep FPS Series

24A18R66FPS (18RU)	9340591006106
24A22R66FPS (22RU)	9340591006113
24A27R66FPS (27RU)	9340591006120
24A32R66FPS (32RU)	9340591006137
24A37R66FPS (37RU)	9340591006144
24A42R66FPS (42RU)	9340591006168
24A45R66FPS (45RU)	9340591016723

- 600mm Deep Cabinet Design • Supplied Fully Assembled
- Lockable Front Door, Back and Side Panels • IP20 Protection Rating
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- Earth Linkages Provided

Included Accessories

- Cooling Fans, 6-Outlet Power Rail, Fixed Shelves, 2x Keys, Feet & Castors

CABINET TYPE	Floor Standing - FPS
RACK UNITS	18RU (24A18R66FPS) / 22RU (24A22R66FPS) / 27RU (24A27R66FPS) / 32RU (24A32R66FPS) / 37RU (24A37R66FPS) / 42RU (24A42R66FPS) / 45RU (24A45R66FPS)
WEIGHT CAPACITY	800kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 600(D) mm
DIMENSIONS (H)	988mm (24A18R66FPS) / 1166mm (24A22R66FPS) / 1388mm (24A27R66FPS) / 1610mm (24A32R66FPS) / 1833mm (24A37R66FPS) / 2055mm (24A42R66FPS) / 2117mm (24A45R66FPS)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually

Floor Standing Data Cabinet - 800mm Deep FPS Series

24A37R68FPS (37RU)	9340591006151
24A42R68FPS (42RU)	9340591006175
24A45R68FPS (45RU)	9340591006199

- 800mm Deep Cabinet Design
- Lockable Front Door, Back and Side Panels
- Removeable Cable Entry Cover Plates (Side Panels Key Lockable)
- IP20 Protection Rating • Supplied Fully Assembled
- Earth Linkages Provided

Included Accessories

- Cooling Fans, 6-Outlet Power Rail, Fixed Shelves, 2x Keys, Feet & Castors

CABINET TYPE	Floor Standing - FPS
RACK UNITS	37RU (24A37R68FPS) / 42RU (24A42R68FPS) / 45RU (24A45R68FPS)
WEIGHT CAPACITY	800kg
MATERIALS	Cold Rolled Steel, Tempered Glass Door
DIMENSIONS (W) x (D)	600(W) x 800(D) mm
DIMENSIONS (H)	1833mm (24A37R68FPS) / 2055mm (24A42R68FPS) / 2117mm (24A45R68FPS)
PACKAGING	Brown Box with Label
QUANTITIES	Sold Individually